



**HotJetusa®**  
1.800.624.8186

**4020  
TURBO DIESEL  
COLD WATER  
JETTER**

HOT WATER OPTION AVAILABLE



SHOWN WITH VERTICAL TWIN 300 GALLON TANKS (600 Gallon Total)

**MODEL NUMBER:**

**XFDTA4020Y-59L-600 (COLD WATER)**

**HJDTA4020Y-59L-600 (HOT WATER)**

**XFDTA4020Y-59L-660 (COLD WATER)**

**HJDTA4020Y-59L-660 (HOT WATER)**

**CULVERT / STORM DRAIN CLEANER**

**40GPM @ 2,000 PSI**

**59HP DIESEL ENGINE**

**14K TANDEM AXLE TRAILER**

**600 GALLON CAPACITY**

MORE INFO



8-27-2024

# BUILT WITH THE OPERATOR IN MIND!

- Engineered to Clean from 4" to 36" Pipes
- Fast & Efficiently Built for Easy Service & Long Life



MODEL NUMBER: XFDTA4020Y-L-600

## BEST ENGINE

Premium Yanmar (John Deere) Turbo • Water Cooled

## BEST PUMP

## BEST TRAILER

Solid Steel Diamond Plate • Solid Box Frame

## INDUSTRIALLY ENGINEERED FOR YEARS OF SERVICE

## INCLUDES

- Tool Boxes
- Wash Down / Power Wash Feature
- Anti-Freeze System
- Strobe Light
- Fast Fill System
- Remote Control (Loaded Model)
- Safety Shut-Off



# 59 HP ENGINE

WATER COOLED  
TURBO DIESEL POWERED

## NOW EVEN MORE RELIABLE


The YANMAR line of Final Tier 4 engines continues to build upon the legendary reliability of the YANMAR TNV line with a focus on vibration reduction and high-strength materials. The result is an engine more than capable of handling the most demanding applications.

## FINAL TIER 4 AND EU STAGE 5 COMPLIANT

Building off the proven TNV design, YANMAR has achieved superior exhaust emissions utilizing common rail direct-injection, exhaust gas recirculation, precise ECU engine control and a diesel particulate filter. YANMAR engines are compliant with EPA Tier 4 Final and EU Stage regulations allowing customers to use a common platform for highly regulated sales regions.

## BETTER FUEL EFFICIENCY, FEWER EMISSIONS

YANMAR continues its reputation for superior starting characteristics by refining the combustion process to assure more precise fuel delivery and control. The result is reduced emissions, improved performance over a wide range of applications and increased fuel economy.



**CARB COMPLIANT**

SPECIFICATION	DWZ	COMBUSTION TYPE	Direct Injection
CYLINDERS	4	ASPIRATION	Turbo Charged
BORE x STROKE (mm)	86 x 90	GOVERNOR TYPE	Electronic
DISPLACEMENT L (ci)	2.09 (128)	LUBRICATION SYSTEM	7.4L Capacity Oil Pan
GROSS POWER hp (kW)	59 (44)	ELECTRICAL SYSTEM	12V-55A
RATED SPEED rpm	3000	FUEL SYSTEM	Common Rail Fuel Injection
LENGTH w/fan in (mm)	28.6 (726)	COOLING SYSTEM	Water Pump, Belt Driven
WIDTH in (mm)	21.7 (552)	POWER TAKE OFF	FWH: SAE 5 Full FW: SAE 7.5
HEIGHT in (mm)	39.4 (1000)		
WEIGHT lbs (kg)	~ 516 (234)		



**UDOR**  
USA

## VX SERIES

15.9 - 52.8 GPM  
UP TO 5075 PSI

- Heavy Duty Brass Manifold
- Solid Ceramic Plungers
- Stainless Steel Plunger Guides and Check Valves
- Replaceable PTFE Coated Body Guides
- Bronze Connecting Rods
- Heavy Duty Flat Base High Pressure Seals
- 1-1/2" BSP-F Inlet. 1" BSP-F Outlet
- 128 oz. Capacity Vented Oil Bath Crank Case
- Max Fluid Temp, 160°F



1. Anodized Die-Cast Aluminum Crankcase
2. Large Diameter Valve Caps with 1-Piece Cover Plate
3. Heavy Duty Brass Manifold with Internal and External Bracing
4. Heavy Duty Bronze Connecting Rods
5. Stainless Steel Conical Valve Assembly for Increased Efficiency
6. Heavy Duty Tapered Roller Bearings
7. Heat Treated Crank Shaft
8. Stainless Steel Stepped Plunger Guide for Increased Seal Life
9. Replaceable PTFE Coated Body Guides
10. High-Polished Solid Ceramic Plungers



Tank Option: Twin 300 Gallon for a Total of 600 Gallons (Vertical Tanks)



Tank Option: Twin 330 Gallon for a Total of 660 Gallons (Horizontal Tanks)



# IT ALL STARTS WITH THE TRAILER SPECIFICATIONS



## TRAILER SPECIFICATIONS

Our HotJet trailers are custom engineered for extreme duty and are the best trailers made - PERIOD!

We are associate members of **NATM - National Association of Trailer Manufacturers**

and we manufacture in compliance with their national engineering codes.



## FRAME

Our trailers feature a "Rock Solid" 3/16" tube fame (not 1/8") that extends the full length of the trailer. The frame is then welded on the HD C-Channel sub-frame. We directly weld this to our spring support shackles.

## TOP DECK

The top deck is full sheated diamond plate steel decking which adds structural rigidity.

## AXLES

We use Dexter brand leaf spring axles. Leaf springs are proven for our applications. They cushion and distribute the weight loads. Each axle has electric brakes.

## PAINT / POWDER COAT

We use a premium pre-wash zinc hot-wash. This is followed by a Sherwin Williams primer coat that is exclusively made for powder coating. A Sherwin Williams premium powder coat paint that is engineered to resist corrosion and promote color consistency is then added.

## MISCELLANEOUS

We use HD fenders with step plates welded on both sides. The Ram Jack is super duty and rated to lift 8,000 lbs. All lights and markers are LED. Plug is standard 7-way.



# THE BEST JETTERS DESERVE THE BEST TRAILERS



- » Box Tube Steel Construction
- » Solid Diamond Plate Steel Deck
- » Fully Primed And Powder Coated

## BUILT FOR YEARS OF SERVICE



# CHOOSE YOUR TRAILER COLOR!



Red, Black & Blue Standard Color Options  
Custom Paint Colors Available Upon Request - Cost Extra



# CUSTOM SIGNAGE AVAILABLE



## ARTWORK REQUIREMENTS:

Custom signage is designed by our in-house graphic artist. Provide your logo/branding in high resolution VECTOR FORMAT (.ai, .eps or vector PDF) and we'll do the rest! A proof will be provided for review prior to print production.

# THE BEST JETTERS INCLUDE THE BEST TRAINING CLASSES

