



HYDRO VAC 500

TRAILER MOUNTED

ALSO AVAILABLE

- SKID OR TRUCK MOUNT AVAILABLE
- FULL DIESEL OPTIONS
- FULL DRAIN LINE JETTER OPTIONAL



01-06-2026

MODEL NO.

HV500-35-GX390
HV500-35-GX690
HV500-35-V35

HV500-K-GX390
HV500-K-GX690
HV500-K-K

SPECIFICATIONS

TRAILER

- 14k Rated—8 Lug
- 130' Long Plus 52" Tongue
- 87" Wide 86" Height
- HD Hydraulic Tounge Jack 8k Rated
- Empty Weight #4,225
- Full Weight ** #8,350 (Varies Depending Upon Load And Material)

WASTE TANK

- 500 Gl. Spoils Tank
- Hydraulic Rear Lift Lid And Lift
- 7' Manual Support Boom

VACUUM HOSE SIZES

- 2" Hose Inlet
- 4" Hose Inlet
- 4" Discharge
- Site Glass
- Hose Holder Bracket
- Vacuum Hose- (All Cam Locked)

VACUUM SYSTEM

- 750-CFM 5LR-Sutterbuilt/Gardner-Denver Pump
- 16" Mercury
- Initial Cyclonic Filter System With Drainage
- Has Secondary Shut Off And Full Access
- Secondary Filter (58 Micron) Replaceable (Kenworth)

VAC MOTOR OPTIONS

- Standard: 35HP Vanguard
- Optional: 24.8 Kubota - 5LR- 850CFM

HYDRO BLASTING SYSTEMS

- Standard-- Honda GX390 - 4GPM @ 4,000 PSI
- Optional: Honda GX690— 7GPM @ 4,000 PSI
- Optional: 35 HP Vanguard—10GPM @ 4,000 PSI

WATER TANK

- Standard—2 x 95gl - 190gl Total
- Optional - 1x 165gl and 1 x 95gl. - 270gl Total

LIGHTING

- Rear Lighting Standard
- Optional Directional Lighting

ACCESSORIES INCLUDED

- 6' Dig Tube - 6' X 3" With Cam Locks
- Wash Wand - 4 or 6' Trigger Controlled
- 4- Power Wash Nozzles
- 1-Rip Saw Or Machete Custom Drilled Nozzle
- Hydro Flush Out System



PROUDLY MANUFACTURED IN THE U.S.A.

1.800.624.8186
www.hotjetusa.com

We can option the blaster up to 20GPM if desired.



Prefilter Cyclonic Filter

Water Tank w/Fast Fill
SHOWN: 165 gal

6' Boom Arm
manual extension arm is included

8K Electrical Hydraulic Jack



500 gal. Spoils Tank
Easy to service filter system

Directional Lighting is an Option



PROUDLY MANUFACTURED IN THE U.S.A.

1.800.624.8186
www.hotjetusa.com



HYDRO VAC 500



PROUDLY MANUFACTURED IN THE U.S.A.

1.800.624.8186
www.hotjetusa.com